



Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012, <http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf>) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

Enter NPDES ID *	Organization Formal Name *	
GMG29 0541	Fieldwood Energy LLC	
	Organization Noted by Preparer	
	Fieldwood	
Reason for Submission *		
<input type="radio"/> Change operator legal name and address	<input checked="" type="radio"/> Add structures	<input type="radio"/> Change structure information
<input type="radio"/> Delete structures	<input type="radio"/> Add limit set(s) for an existing permitted feature	<input type="radio"/> Delete limit set(s) from an existing permitted feature

Add Structures

Non-Sensitive Areas

Lease Block 1			
Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *	
West Cameron	110	81	X
Structure 1			

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	WC-110#10	+ 29.504561	- 93.277111	X
Water Depth (in feet)	Built after 07/17/2006? *			
43	No			
<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)
Add Structure				
Structure 2				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	WC-110#11	+ 29.514337	- 93.277973	X
Water Depth (in feet)	Built after 07/17/2006? *			
39	No			
<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)
Add Structure				
Structure 3				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	WC-110#12	+ 29.513206	- 93.291289	X
Water Depth (in feet)	Built after 07/17/2006? *			
40	No			
<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)
Add Structure				
Structure 4				

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *		
Platform	WC-110#18	+	29.500438	-	93.2870784	X
Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *		Design Intake Velocity (in feet per second) *		Percentage of Intake Water for Cooling *
42	Yes	0		0		0
<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)		<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)		<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)		<input type="checkbox"/> Stock Base Fluid Drill (SB)		<input checked="" type="checkbox"/> Well Fluids (WF)
Add Structure						

Structure 5

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *		
Platform	WC-110#19	+	29.502239	-	93.2917006	X
Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *		Design Intake Velocity (in feet per second) *		Percentage of Intake Water for Cooling *
43	Yes	0		0		0
<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)		<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)		<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)		<input type="checkbox"/> Stock Base Fluid Drill (SB)		<input checked="" type="checkbox"/> Well Fluids (WF)
Add Structure						

Structure 6

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *		
Platform	WC-110A	+	29.518285	-	93.284358	X
Water Depth (in feet)	Built after 07/17/2006? *					
40	No					
<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)		<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)		<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)		<input type="checkbox"/> Stock Base Fluid Drill (SB)		<input checked="" type="checkbox"/> Well Fluids (WF)
Add Structure						

Structure 7

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *		
Platform	WC-110A-AUX1	+	29.51829	-	93.284043	X
Water Depth (in feet)	Built after 07/17/2006? *					
40	No					
<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)		<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)		<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)		<input type="checkbox"/> Stock Base Fluid Drill (SB)		<input checked="" type="checkbox"/> Well Fluids (WF)
Add Structure						

Structure 8

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *		
Platform	WC-110#15	+	29.509216	-	93.2784585	X
Water Depth (in feet)	Built after 07/17/2006? *					
42	No					
<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)		<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)		<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)		<input type="checkbox"/> Stock Base Fluid Drill (SB)		<input checked="" type="checkbox"/> Well Fluids (WF)
Add Structure						

Structure 9

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *		
Platform	WC-110E	+	29.496524	-	93.281199	X
Water Depth (in feet)	Built after 07/17/2006? *					
41	No					
<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)		<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)		<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)		<input type="checkbox"/> Stock Base Fluid Drill (SB)		<input checked="" type="checkbox"/> Well Fluids (WF)
Add Structure						

Structure 10

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *		
Platform	WC-110H	+	29.519041	-	93.2840042	X
Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *		Design Intake Velocity (in feet per second) *		Percentage of Intake Water for Cooling *
40	Yes	0		0		0
<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)		<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)		<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc. Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)		<input type="checkbox"/> Stock Base Fluid Drill (SB)		<input checked="" type="checkbox"/> Well Fluids (WF)
Add Structure						

Lease Block 2

Lease Area Block Name *

Lease Area Block Number *

Lease Area Block BOEM Number *

West Cameron

111

82

X

Structure 1

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *		
Platform	WC-111C	+	29.500312	-	93.2956525	X
Water Depth (in feet)	Built after 07/17/2006? *					
42	No					
<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)		<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)		<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc. Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)		<input type="checkbox"/> Stock Base Fluid Drill (SB)		<input checked="" type="checkbox"/> Well Fluids (WF)
Add Structure						

Structure 2

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *		
Platform	WC-111F	+	29.505232	-	93.2948119	X
Water Depth (in feet)	Built after 07/17/2006? *					
42	No					
<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)		<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)		<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc. Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)		<input type="checkbox"/> Stock Base Fluid Drill (SB)		<input checked="" type="checkbox"/> Well Fluids (WF)
Add Structure						

Lease Block 3

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *	X
West Cameron	112	G21536	

Structure 1

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *
Platform	WC-112A	+ 29.497491	- 93.3436412

Water Depth (in feet)	Built after 07/17/2006? *
43	No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc. Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Add Structure

Add Lease Block

Sensitive Areas

Add Lease Block

Certification Information

Ex. 6 Personal Privacy (PP)

Form Action *

Approve

Digital Signature Acknowledgement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.